



**TECHNICAL DATA:**


Not easily accessible device,  
according to standard EN 1176-1 : 2017

Device dimensions:	5,96 x 2,16m
Device height:	3,15m
Minimum space:	9,41 x 5,17m
Falling area:	34,13m <sup>2</sup>
Critical fall height:	1,35m
Foundations depth:	-0,60m

The device according to EN 1176-1 : 2017  
Playground equipment and surfacing – Part 1:  
General safety requirements and test methods.

- Safety surfaces:
- sand, gravel, bark, synthetic surface
  - minimal thickness for loose particulate materials 200+100mm
  - synthetic surface according to critical fall height

**Projection and device view**



## COMPONENTS

Roofed square platform, height 1,35m	1 pc
Square platform, height 0,90m	1 pc
Slide, height 1,35m	1 pc
Entry rope net, height 0,90m	1 pc
Fieman's pole, height 0,90m	1 pc
Vertical ladder	1 pc
Slope rope bridge with beams	1 pc

## MATERIALS:

Construction:	robinia timber, debarked, desapwooded and sanded
Platforms:	robinia timber, debarked, desapwooded and sanded
Slide:	stainless steel
Flat decorative elements:	HDPE sheets
Ropes:	polypropylene braided with a steel, interconnected by plastic fasteners
Caps:	plastic
Foundations:	concrete min. C12/15 standard

